EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	(@ad<"20001117" or @rlad<"20001117") and virtual near space$1 near15 chat near room$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:08
L2	13	(@ad<"20001117" or @rlad<"20001117") and virtual near space$1 near15 chat near room$1 same (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:19
L3	639	(@ad<"20001117" or @rlad<"20001117") and chat near room$1 same (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:19
L4	31	(@ad<"20001117" or @rlad<"20001117") and chat near room$1 near15 stor$4 near15 (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:22
L5	3339201	(@ad<"20001117" or @rlad<"20001117") and open$4 nea15 chat near room$1 near15 (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:22
L6	0	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 chat near room$1 near15 (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:23
L7	7	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 chat near room$1 same (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:26

L8	3	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 chat near room$1 same (database$1 or server$1) and (database$1 or server$1) near20 stor$4 near15 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:24
L9	639	(@ad<"20001117" or @rlad<"20001117") and chat near room$1 same (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:26
L10	24	(@ad<"20001117" or @rlad<"20001117") and chat near room$1 same memory same (database$1 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:27
L11	23	(@ad<"20001117" or @rlad<"20001117") and chat near room$1 same memory same (database$1 or server$1) and server$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:31
L12	10	(@ad<"20001117" or @rlad<"20001117") and chat near room$1 same allocat$4 same (database$1 or server$1) and server$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:32
L13	10	(@ad<"20001117" or @rlad<"20001117") and chat near room$1 same allocat$4 same (database$1 or server$1) and (database$4 or server$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:33
L14	118369	(@ad<"20001117" or @rlad<"20001117") and (database$4 or server$1) near15 stor$4 chat near3 (message$1 or text$1 or thread$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:34

EAST Search History

L15	37	(@ad<"20001117" or @rlad<"20001117") and (database$4 or server$1) near15 stor$4 near15 chat near3 (message$1 or text$1 or thread$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:34
S32	2	"5854898".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:00
S33	1	"5854898".pn. and stor$4 near10 message$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:44
S34	2	"5854898".pn. and message$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:44
S35	2	"6880168".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:13
S36	103	(@ad<"20001117" or @rlad<"20001117") and set$5 near15 chat$4 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:15
S37	36	(@ad<"20001117" or @rlad<"20001117") and set$5 near15 chat$4 near15 (database or server) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:28

S38	30	(@ad<"20001117" or @rlad<"20001117") and creat$4 near15 chat$4 near15 (database or server) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:28
S39	2	(@ad<"20001117" or @rlad<"20001117") and creat$4 near15 chat$4 near15 (database or server) and invit$6 not S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:33
S40	123	(@ad<"20001117" or @rlad<"20001117") and chat$4 near15 (database or server) and invit$6 not S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:08
S41	29	(@ad<"20001117" or @rlad<"20001117") and set$6 near15 chat$4 and chat$4 near15 (database or server) and invit$6 not S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:34
S42	7	(@ad<"20001117" or @rlad<"20001117") and chat$4 near15 (database or server) and invit$6 not S37 and video near game$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 16:35
S43	36	(@ad<"20001117" or @rlad<"20001117") and set$5 near15 chat$4 near15 (database or server) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:11
S44	0	(@ad<"20001117" or @rlad<"20001117") and (database or server) near15 chat near room near (id$1 or identifier) and invit$6 not S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:11

EAST Search History

S45	1	(@ad<"20001117" or @rlad<"20001117") and (database or server) same chat near room near (id$1 or identifier) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:14
S46	0	(@ad<"20001117" or @rlad<"20001117") and chat near room near (id$1 or identifier) same invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:14
S47	0	(@ad<"20001117" or @rlad<"20001117") and chatroom near (id$1 or identifier) same invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:15
S48	3	(@ad<"20001117" or @rlad<"20001117") and chat near2 (id$1 or identifier) same invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:28
S49	0	(@ad<"20001117" or @rlad<"20001117") and room near2 (id$1 or identifier) same invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:29
S50	4	(@ad<"20001117" or @rlad<"20001117") and chat near2 room near2 (id$1 or identifier) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:36
S51	0	(@ad<"20001117" or @rlad<"20001117") and chat near2 conferenc$5 near2 (id$1 or identifier) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:37

EAST Search History

S52	0	(@ad<"20001117" or @rlad<"20001117") and chat near20 conferenc$5 near2 (id$1 or identifier) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 12:37
S53	1	(@ad<"20001117" or @rlad<"20001117") and chat near20 conference and conferenc$5 near2 (id$1 or identifier) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:00
S54	3	(@ad<"20001117" or @rlad<"20001117") and chat and conferenc$5 near2 (id$1 or identifier) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:01
S55	64	(@ad<"20001117" or @rlad<"20001117") and conferenc$5 near2 (id$1 or identifier) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:01
S56	13	(@ad<"20001117" or @rlad<"20001117") and conferenc$5 near2 (id$1 or identifier) and invit$6 near15 conference near2 (id$1 or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:03
S57	154	(@ad<"20001117" or @rlad<"20001117") and private near2 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:03
S58	24	(@ad<"20001117" or @rlad<"20001117") and set$4 near15 private near2 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:04

EAST Search History

S59	34	(@ad<"20001117" or @rlad<"20001117") and set$4 near15 (private or conferenc$4) near2 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:04
S60	17	(@ad<"20001117" or @rlad<"20001117") and set$4 near15 (private or conferenc$4) near2 chat$4 and invit$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:05
S61	19	(@ad<"20001117" or @rlad<"20001117") and set$4 near15 (private or conferenc$4) near2 chat$4 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:11
S62	8	(@ad<"20001117" or @rlad<"20001117") and request$4 near15 (creat$4 or set$6 or establish$5) near15 (private or conferenc$4 or room) near2 chat$4 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:18
S63	0	(@ad<"20001117" or @rlad<"20001117") and (database or server$1) near15 allocat$4 near15 (private or conferenc$4 or room) near2 chat$4 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:19
S64	0	(@ad<"20001117" or @rlad<"20001117") and (database or server$1) near15 allocat$4 near15 (conferenc$4 or room) near2 chat$4 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 13:19
S65	16	(@ad<"20001117" or @rlad<"20001117") and (database or server$1) near15 allocat$4 near15 (conferenc$4 or room or session) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:01
S66	0	("7177905").URPN.	USPAT	OR	OFF	2007/06/27 13:22

EAST Search History

S67	2712	(@ad<"20001117" or @rlad<"20001117") and(generat$4 or creat$4) near15 invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:02
S68	257	(@ad<"20001117" or @rlad<"20001117") and(generat$4 or creat$4) near15 invit$6 and (transmit$4 or send$4) near15 invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:03
S69	0	(@ad<"20001117" or @rlad<"20001117") and (stor$4 or log$4) near15 conferenc$4 near10 message2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:19
S70	0	(@ad<"20001117" or @rlad<"20001117") and (stor$4 or log$4) near15 chat$1 near10 message2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:19
S71	7	(@ad<"20001117" or @rlad<"20001117") and allocat$4 near15 (memory or stor$4 or log$4) near15 chat$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:19
S72	6	(@ad<"20001117" or @rlad<"20001117") and allocat$4 near15 (memory or stor$4 or database) near15 chat$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:19
S73	6	(@ad<"20001117" or @rlad<"20001117") and allocat$4 near15 (memory or stor$4 or database or disk$1) near15 chat$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:24

S74	179739	(@ad<"20001117" or @rlad<"20001117") and allocat$4 near15 (memory or stor$4 or database or disk$1) near15 chat$1 or conference$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:20
S75	93	(@ad<"20001117" or @rlad<"20001117") and allocat$4 near15 (memory or stor$4 or database or disk$1) near15 (chat$1 or conference$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:20
S76	14	(@ad<"20001117" or @rlad<"20001117") and allocat$4 near15 (memory or stor$4 or database or disk$1) near15 (chat$1 or conference$2) and (id$1 or identifier) near10 (chat$1 or conference$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:21
S77	591	(@ad<"20001117" or @rlad<"20001117") and (memory or stor$4 or database or disk$1) near15 chat$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:24
S78	179	(@ad<"20001117" or @rlad<"20001117") and (memory or stor$4 or database or disk$1) near15 (stor$4 or log$4) near15 chat$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:24
S79	18	(@ad<"20001117" or @rlad<"20001117") and (memory or stor$4 or database or disk$1) near15 (stor$4 or log$4) near15 chat$1 and invitation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:52
S80	2712	(@ad<"20001117" or @rlad<"20001117") and (generat$4 or creat$4) near15 invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:53

EAST Search History

S81	23	(@ad<"20001117" or @rlad<"20001117") and (generat$4 or creat$4) near15 invit$6 and (send$4 or transmit$4) near15 invit$6 same click$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:53
S82	8	(@ad<"20001117" or @rlad<"20001117") and (generat$4 or creat$4) near15 invit$6 and (send$4 or transmit$4) near15 invit$6 same click$4 and chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:57
S83	53	(@ad<"20001117" or @rlad<"20001117") and (generat$4 or creat$4) near15 invit$6 and (send$4 or transmit$4) near15 invit$6 and chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 15:57
S84	7	(@ad<"20001117" or @rlad<"20001117") and (generat$4 or creat$4) near15 invit$6 and (send$4 or transmit$4) near15 invit$6 and chat$4 and stor$4 near15 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:01
S85	16	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and stor$4 near15 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:04
S86	28	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and (stor$4 or log$4) near15 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:15
S87	0	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and (assign$4 or allocat$4) near15 (stor$4 or log$4) near15 chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:16

S88	1	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and (assign$4 or allocat$4) near15 (stor$4 or log$4 or achiv$6) near15 (message$1 or thread$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:18
S89	54	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and chat near room$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:19
S90	21	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and (open$4 or set$6 or creat$4 or establish$4) near15 chat near room$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:20
S91	0	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and (open$4 or set$6 or creat$4 or establish$4) near15 chat near room$1 and chat near room$1 near15 thread$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:21
S92	3	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and (open$4 or set$6 or creat$4 or establish$4) near15 chat near room$1 and thread$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:27
S93	2	(@ad<"20001117" or @rlad<"20001117") and (send$4 or transmit$4) near15 invit$6 and chat$4 and (open$4 or set$6 or creat$4 or establish$4) near15 chat near room$1 near15 (server or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:01
S94	238	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:02

S95	91	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference) and (stor$4 or log$4) near15 (thread$1 or message$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:03
S96	6	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference) and (stor$4 or log$4) near15 (thread$1 or message$1) and (send$4 or transmit$4) near15 invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:07
S97	30	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference) and (stor$4 or log$4) near15 (thread$1 or message$1) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:27
S98	73	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference) and (thread$1 or message$1) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:55
S99	3	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference).ab. and (thread$1 or message$1) and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:28
S10 0	25	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:29
S10 1	3	(@ad<"20001117" or @rlad<"20001117") and (open$4 or set$6 or creat$4 or establish$4) near15 chat near2 (room or conference).ab. and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 17:29

EAST Search History

S10 2	2	(@ad<"20001117" or @rlad<"20001117") and "5764916". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:01
S10 3	2	(@ad<"20001117" or @rlad<"20001117") and "5838927". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:02
S10 4	58	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 conference and chat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:03
S10 5	13	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 conference and chat$4 and thread$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:03
S10 6	6	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 conference and chat$4 and thread$1 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:09
S10 7	19	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 conference and chat$4 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:14
S10 8	1075	(@ad<"20001117" or @rlad<"20001117") and (conference or room) and chat$4 and invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:14

S10 9	87	(@ad<"20001117" or @rlad<"20001117") and (conference or room) and chat$4 and (send$4 or transmit$4) near15 invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:23
S11 0	68	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 chat near room	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:24
S11 1	4	(@ad<"20001117" or @rlad<"20001117") and open$4 near15 chat near room and (send$4 or transmit$4) near15 invit$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 18:24